

Thomas F. Gordon

A Demonstration of the MARKOS License Analyser

The MARKOS license analyser is an innovative application of the latest version of the Carneades argumentation system, for helping software developers to analyse open source license compatibility issues.

Collection: Conference Proceedings IRIS 2015

Category: Articles

Field of law: Advanced Legal Informatics Systems and Applications

Region: Germany


Citation: Thomas F. Gordon, A Demonstration of the MARKOS License Analyser, in: Jusletter IT 26. Februar 2015 – IRIS

Contents

1 References

[Rz 1] The European MARKOS project¹ is developing a prototype application for browsing and analysing functional, structural and licensing properties of open source software at the semantic level [1]. Here we focus on the license analyser component of the MARKOS system, a legal application of the Carneades argumentation system² for helping software developers to understand license compatibility issues. Figure 1 shows an overview of the MARKOS system.

Figure 1: MARKOS System Architecture



[Rz 2] The license analyser applies a copyright knowledge base to facts in the repository, and interactively entered in dialogues with users, to automatically build an argument graph. The knowledge base is represented as a Carneades «theory» defining a language of predicate and function

¹ <http://www.markosproject.eu>.

² <http://carneades.github.com>.

symbols, some imported from an OWL ontology, along with strict and defeasible argumentation schemes (inference rules). Carneades includes an ex-tensible, hybrid inference engine for constructing arguments from various data sources, including OWL ontologies, Semantic Web triple stores, and Carneades rules. The inference engine is extensible via «plug-in» modules implementing an argument generation protocol (interface). Arguments are generated from argumentation schemes in Carneades theories using a backwards chaining rule engine, with a depth-limited, depth-first search strategy, to assure termination, and memoization (tabling) of intermediate inferences, to reuse arguments constructed for previous subgoals.

[Rz 3] The argument graph constructed from the knowledge base and facts is mapped to a Dung abstract argumentation framework, in a manner similar to ASPIC+, and evaluated using grounded semantics. This applies a new formal model of argument graphs (to be published) which generalizes the original Carneades model [3] to handle cycles, while retaining the support of the original model for proof burdens and standards. The labeled argument graph is visualized using an interactive web application. The application provides multiple linked views onto the argument graph, including hypertext, out-lines and argument maps. A collaborative argument graph editor is provided, with forms to help users to apply argumentation schemes to enter further arguments which were not constructed automatically from the knowledge base, or to modify arguments if they disagree with the interpretation of copyright law modeled in the knowledge base. Argument graphs are persistently stored in relational databases and can be shared, to support collaboration by allowing others to access, view and edit the argument graphs.

[Rz 4] In an earlier project, we developed a single-user, desktop prototype of a license analyser [2]. The MARKOS license analyser improves upon this prior work with a multi-user web application based on a more advanced computational model of argument and a more complete copyright knowledge base. We hope the application will prove to be a useful tool for open source software developers and serve as a good demonstration of the practical utility of argumentation technology.

1 References

- [1] GABRIELE BAVOTA, ALICJA CIEMNIEWSKA, ILKNUR CHULANI, ANTONIO DE NIGRO, MASSIMILIANO DI PENTA, DAVIDE GALLETI, ROBERTO GALOPPINI, THOMAS F. GORDON, PAWEL KEDZIORA, ILARIA LENER, FRANCESCO TORELLI, ROBERTO PRATOLA, JULIUSZ PUKACKI, YACINE REBAHI, AND SERGIO GARCA VILLALONGA. The MARKet for Open Source: An intelligent virtual open source marketplace. In IEEE CSMR-WCRE 2014 Software Evolution Week (CSMR-WCRE), 2014.
- [2] THOMAS F. GORDON. Analyzing Open Source License Compatibility Issues with Carneades. In Proceedings of the Thirteenth International Conference on Artificial Intelligence and Law (ICAIL-2011), pages 55—55. ACM Press, 2011.
- [3] THOMAS F. GORDON, HENRY PRAKKEN, AND DOUGLAS WALTON. The Carneades Model of Argument and Burden of Proof. *Artificial Intelligence*, 171(10-11):875—896, 2007.